KAREM WOODCRAFT

ARCHITECTURAL, PERIOD & HERITAGE TIMBER PRODUCTS · AUSTRALIAN MADE









CUSTOM GATES, IN THE WORKSHOP



TURNED & ROUTED VERANDAH POSTS



LAMINATING CURVED ARCHES

EDITION 17

HUGE STANDARD RANGE · CUSTOM TIMBER PRODUCT MATCHING SERVICE

SHIPPING AUSTRALIA WIDE · HOW-TO-MEASURE GUIDES INSIDE · FLIP FOR THE STAIR RANGE

sales@karemwoodcraft.com.au · 1300 547 581 · 852 Mountain Highway, Bayswater

WHAT'S WHAT

You know the bit you want. We know what it's called.

Almost nobody rings up asking for a corner bracket — they ask for "the curly bit under the verandah post", and that is a perfectly good way to order one. But if you'd rather look it up yourself, here is the whole house with the names on it — and the page where each one lives.



EAVES BRACKETS PAGE 28
The small brackets repeated under the eaves.

VERANDAH RAFTERS PAGE 29
The curved roof profile — bullnose, concave, convex or Olde Gothic.

EXTERNAL FRETWORK PAGE 32
The cut panel spanning between the posts.

CORNER BRACKETS PAGE 31
Where the post meets the beam. Also used as shelf brackets.

TURNED POSTS PAGE 30
The turned verandah post. V1 to V7, made to your height and width.

BALUSTRADING PAGES 2 · 32
The railing between the posts. Sold per lineal metre.

SCREEN DOORS PAGE 34
Made to your door frame. Flywire not included.

FINIALS PAGE 31
The turning at the apex of the gable.

BARGE BOARDS PAGE 28
The boards running down the gable edge.

GABLE VENTS PAGE 28
Lets the roof space breathe. Flywire backed.

WINDOW CANOPIES PAGE 29
Shade over the window, before the sun becomes heat inside.

NEWEL POSTS PAGE 30
The post that ends a run of balustrade.

FENCE POSTS & TOPS PAGE 33
Post caps and capitals. Flat bottomed for easy mounting.

GATES PAGES 20–25
Our gate designs, custom made to your opening.

FENCE PANELS & INSERTS PAGE 3
The infill panels between the posts.

BALUSTRADES & VERANDAH POSTS

Hampton Style

LOSP treated pine after manufactured.
Custom made to your needs.

VERANDAH POSTS

AVAILABLE IN	LENGTHS
88 × 88 mm	From 1100 to 5400 mm
112 × 112 mm	
135 × 135 mm	

We supply Australia wide. Discounts may apply — P.O.A





HMP2







HMP3



HMP9




HMP4




HMP6





BALUSTRADE
WITH HMP5F ON TOP



BALUSTRADE
WITH HMP6F ON TOP



ANGLED FOR STAIRS

All balustrades and staircase handrail flight panels are made as a **fully assembled panel** to your measurements between posts. Full height posts and newel posts sold separately.

HAMPTON STYLE · THE RANGE

One Pattern Language, Nine Products

All these patterns are available across this range of products.

POSTS · BALUSTRADES · STAIR FLIGHTS · FRETWORKS · FENCE PANELS · FLYSCREEN DOORS · PRIVACY SCREENS · GATES · WINDOW PELMETS

NEW RANGE

FOR TECHNICAL SUPPORT
1300 547 581
Phone (03) 9720 7266 · Fax (03) 9720 7191
852 Mountain Hwy Bayswater 3153 VIC
sales@karemwoodcraft.com.au
www.karemwoodcraft.com.au

FRETWORKS


HMP8F



HMP7F


HMP6F



HMP5F


HMP4F


FLY SCREEN DOOR
SD21


PRIVACY SCREEN
WITH HMP4F PATTERN


WINDOW PELMET
WITH HMP4F PATTERN


GATE
WITH HMP6F ON TOP

THREE TYPES OF PYRAMID POST TOPS


INTERNAL NEWEL POST

Internal newel posts can be manufactured out of **Australian hard woods** etc.

PYRAMID — PYR90 · PYR100 · PYR115 · PYR125 · PYR140
MOULDED — DAN90 · DAN100 · DAN115 · DAN125 · DAN140

Gates and fence panels are open through the top pattern area. Bottom has a **19 mm thick ply panel** rebated into frame.


PYRAMID — PYR


MOULDED — DAN


C4120


C4140

CODE	TOP	HEIGHT	BASE
C4120	103 mm	34 mm	120 or 140 mm
C4140	118 mm	44 mm	120 or 140 mm

PERGOLAS & GAZEBOS

Flat Pack Pergola Kits

NEW RANGE

Every kit is LOSP treated after being manufactured.



SIDE DEPTH · FACE WIDTH · END PATTERN — THE ANATOMY OF A KIT

DEFINITIONS

BEAMS	The main bottom timbers, attached on both sides of the posts.
RAFTERS	The middle row of timbers that lock together as a square brace between the beams and battens.
BATTENS	The top row of timbers that also brace the structure, laid in the same direction as the beams.
POSTS	The upright timbers that support the pergola kit.
END PATTERN	The end pattern is on the ends of both beams and rafters.
SIDE DEPTH	The side of the pergola kit that has both beam and batten ends projecting outwards.
FACE WIDTH	The front face of the pergola kit, with the long surface of the beams showing and rafter ends projecting forward.




FIGURE 2.0 — SIDE DEPTH, FACE WIDTH & THE TWO KIT STYLES



THE JOINT — POST, RAFTER, BATTEN & BEAM

STYLE OF KITS

AS ATTACHED STYLE
Fits to a pre-existing structure. This kit has **2 posts**.

FSS FREE STANDING STYLE
Not attached to any structure. This kit has **4 posts**.

Refer to **Figure 2.0** to choose your kit size and style.



END PATTERNED EP16 — PATTERNED TIMBER LENGTHS ALSO SOLD SEPARATELY

SEMI-PERMANENT STRUCTURE, CLASS 10A · PLEASE CONTACT YOUR LOCAL COUNCIL

PERGOLA & GAZEBO KITS

The Four-Step Order Form

FOR TECHNICAL SUPPORT
1300 547 581
Ph (03) 9720 7266 · Fax (03) 9720 7191
852 Mountain Hwy Bayswater 3153 VIC
sales@karemwoodcraft.com.au
www.karemwoodcraft.com.au

CUSTOMER DETAILS

NAME _____

ADDRESS _____

SUBURB _____ STATE _____

PHONE _____ MOBILE _____

EMAIL _____ SIGNATURE _____

NOTES _____

1 SELECT YOUR KIT SIZE

Circle both the **face width** and the **side depth** in the table — refer to Figure 2.0.

KITS MEASURED IN MILLIMETRES
EXAMPLE — FACE WIDTH 3000 · SIDE DEPTH 1800

FACE WIDTH	1200	1800	2400	3000	3300
SIDE DEPTH	1200	1800	2400	3000	3300

2 CIRCLE YOUR KIT STYLE — REFER TO FIGURE 2.0

Attached Style AS · *or Free Standing Style* FSS

3 CIRCLE YOUR TIMBER CHOICE

LOSP Pine · Merbau · *or other?*

4 SELECT YOUR END PATTERN

PUT SELECTED CODE IN BOX EP ____

End patterns can be sold separately — illustrations below 240 mm × 700 mm.



CUSTOM KITS AVAILABLE ON REQUEST







PROUDLY AUSTRALIAN OWNED & MANUFACTURED

EST 1984

Over Thirty-Eight Years of Timber

It is right that we proudly proclaim — "We love timber."



THE AUSTRALIAN PERIOD HOME — EVERY ELEMENT IN THE KAREM RANGE

We are an Australian owned company that has manufactured quality timber products for three decades — turned verandah posts, screen doors, balustrading, finials, gable vents, fretwork, frieze panels, stair kits and more.

Our mission is to preserve the rich heritage of Australian period style homes, and to produce new timber products for modern homes and commercial buildings, with custom work on top of our standard range.

> **Karem Woodcraft — four generations in the making.** See more on page 19.



PERIOD DETAIL, FAITHFULLY RESTORED

> We proudly supply **Australia-wide** — delivery discounts may apply, P.O.A.

IN-HOUSE LOSP TREATMENT PLANT

We treat after manufacturing — so your product is completely covered.



PICKET FENCE & GATES




DECORATIVE GABLE BRACKETS










VERANDAH FRIEZES



SCAN FOR OUR WEBSITE

FOR TECHNICAL SUPPORT
1300 547 581 · Ph (03) 9720 7266 · Fax (03) 9720 7191
852 Mountain Hwy Bayswater 3153 VIC · sales@karemwoodcraft.com.au · www.karemwoodcraft.com.au

EDITION 17 · CONTENTS

Index — Custom Timber Product Matching Service









INDEX	PAGE NO
WHAT'S WHAT — EVERY PRODUCT ON THE HOUSE	1
ARCHED ARCHITRAVES & CURVED WALL SKIRTING BOARDS	14
ALUMINIUM CAPITALS	33
NEW ARCHITRAVES & SKIRTINGS BOARDS	15 to 17
BALUSTRADE & HANDRAILS	32 & 36 & 7s
BARGE BOARDS & DECORATIVE RELIEF	28
CORBELS	34
CORNER BRACKETS	31
CORNICES, MOULDINGS & WEATHER BOARDS	18
DROPPERS	34
EAVES BRACKETS	28
NEW FENCING & GATES	20 to 25 & 41 & 46
FIRE SURROUNDS / FIREPLACE MANTELS	34
FRETWORK (EXTERNAL)	32
FRETWORK & WINDOW PELMETS (INTERNAL)	37 to 38
GABLE FINIALS	31
GABLE INSERTS	28
NEW HUGE GALLERIES	8 to 13 & 45 to 54
NEW AS SEEN ON TV	8 to 11
HANDRAIL PROFILES	36
HOW-TO GUIDES	40
LOUVRES & SHUTTERS	42
NEWELS	30
POST KNOBS & CAPITALS	33
SCREEN DOORS	34
VERANDAH POSTS	30
VERANDAH RAFTERS	29
WALL RADIATOR COVERS	34
WEATHER BOARDS PERIOD STYLE	18
WINDOW CANOPIES	29
PAINTING & LOSP TREATMENT	26 to 27
STAIR KIT RANGE — *please flip brochure to view*	1s - 10s







AS SEEN ON TV · 2022

Country Home Rescue

Custom timber products proudly supplied by Karem Woodcraft for Channel Nine's Country Home Rescue.

All timbers supplied **L.O.S.P treated** after manufacture — for external use.



THE RESCUED COUNTRY HOME — CUSTOM TIMBER THROUGHOUT



POSTS WITH CHAMFERED EDGES & CAP MOULDINGS



GABLE FINIALS



ARCHED ENTRY BEAMS & ARCHED GATE



STRINGER SKIRTING DETAIL




CURVED STAIRCASE STRINGER SKIRTING BOARDS


AS SEEN ON TV · CHANNEL NINE

The Block & The Oslo Hotel

Balustrade and fretwork panels, proudly supplied by Karem Woodcraft.



THE BLOCK 2013 — A SEAT FOR THE FRASER TWINS



THE OSLO HOTEL — FORMER GLORY DAYS, 1895



THE OSLO — UNDER RENOVATION



THE BLOCK 2019 — THE OSLO RESTORED

ASSEMBLED PANELS

CODE	PANEL
FR4	Fretwork assembled panels, arched with no motif — LOSP treated pine
BS6	Balustrade assembled panels with 42 mm × 42 mm slats — LOSP treated pine



ASSEMBLED PANELS ON THE FLOOR — FR4 ARCHED WITH NO MOTIF & BS6 WITH 42 MM × 42 MM SLATS

THE BLOCK HQ

Inside the **Palais Theatre, St Kilda** — our staircase components on set, as seen on Channel Nine.

> Proudly supplied by Karem Woodcraft — balustrade and fretwork panels.



STAIRCASE COMPONENTS — THE PALAIS THEATRE

AS SEEN ON TV · CHANNEL NINE

The Block — 2017 & 2020

Gable infills, posts, fretwork and balustrades for The Block houses.

2017



THE 2017 STREETSCAPE

2017 COMPONENTS

CODE	COMPONENT
GI 5	Gable infills
V4	Posts, 112 × 112 mm
BM	Post base moulding
CB-22	Corner brackets



GABLE INFILLS — GI 5



PEVERELL HOUSE — POSTS V4, BASE MOULDING BM, BRACKETS CB-22

2020



HOUSE NO. 1 — HARRY & TASH



THE 2020 SITE — JANUARY TO AUGUST



HOUSE NO. 3 — DANIEL & JADE


House No. 1, Harry & Tash's — as shown above, they chose our external fretwork **FR1** and our balustrade **BS1**.

House No. 3, Daniel & Jade's — they chose our external fretwork **FR4**, along with our balustrade **BS1** and our post **V4**, 112 mm × 112 mm.


AS SEEN ON TV · 2018

House Rules — Frieze Work

In 2018 we manufactured this frieze work, HFR5, for Toad & Mandy's house on Channel Seven's House Rules.




TOAD & MANDY'S HOUSE — FRIEZE WORK IN PLACE, 2018



FRIEZE WORK — HFR5

One pattern, made to measure — manufactured in our Bayswater workshop and supplied ready for paint and install.





















TURRET VERANDAHS · PERIOD GABLES · COMMUNITY PAVILIONS

SURREY GARDENS ROTUNDA — THEN & NOW

THE CUSTOM WORKSHOP

ONE-OFF COMMISSIONS · ANY TIMBER, ANY SIZE

We Can Work From a Photo



















CUSTOM GALLERY

CHURCH ALTARS · TEMPLE COLUMNS · CUSTOM FRETWORK · TURNED BALUSTERS


FROM YOUR PHOTOGRAPH, DRAWING OR SAMPLE

THE CUSTOM WORKSHOP

GATES · MANTELS · LOUVRES · CARVED PANELS

One-Off Commissions



















EVERY PIECE MADE IN BAYSWATER

MOULDINGS · MADE TO MEASURE

Internal Arched Architraves & Curved Wall Skirting

Arched architraves manufactured in MDF or any timber — any shape, any profile, made to your measurements.



ARCHED PROFILE — MDF



INTERNAL ARCHED ARCHITRAVE



ARCHED WINDOW ARCHITRAVE, IN SITU

Over **3,000 profiles** are available, supported by a full in-house matching service. See the how-to-order guides at www.karemwoodcraft.com.au.


MADE TO MEASURE

CURVED WALL SKIRTING BOARDS

Any internal or external radius, any profile, any timber — made to your measurements.




SKIRTING PROFILE — MDF




CURVED WALL SKIRTING BOARD



STAIRCASE STRINGER SKIRTING



LAMINATED TO THE SAME SHAPE AS YOUR WALL



INTERNAL FACE OF CURVE

LAMINATED TO YOUR RADIUS

External radius — profiled face on the front of the moulding.

Internal radius — profiled face on the front of the moulding.

Any radius · any timber · any profile.

MOULDINGS · NEW RANGE

Architectural Architraves & Skirting Boards

NEW RANGE

The standard range is supplied pre-primed or in raw MDF, with any other timber by request. Any timber, any profile, any size.



VA PROFILE — PRE-PRIMED & RAW MDF



CORNER BLOCK IN SITU

CORNER BLOCKS



BULLSEYE



PYRAMID



CLASSIC

Available in all sizes and thicknesses.

SKIRTING BLOCKS



WCC



WCD



WCG




PK SKIRTING WITH VA ARCHITRAVE

EMPIRE SA

ARCHITRAVE & SKIRTING · 110–300 MM × 18 MM



ARCHITRAVE



SKIRTING



IN SITU

XG

ARCHITRAVE & SKIRTING · 90–300 MM × 18 MM



ARCHITRAVE



SKIRTING



IN SITU

MOULDINGS · THE STANDARD RANGE

The Profile Families

Five signature architrave and skirting families, shown in situ — each supplied pre-primed or in raw MDF, in any width to 300 mm.



LT — ARCHITRAVE & SKIRTING



DT — ARCHITRAVE & SKIRTING



AH ARCHITRAVE · AJ SKIRTING



LT ARCHITRAVE



DT ARCHITRAVE



AH ARCHITRAVE



GS ARCHITRAVE



VA ARCHITRAVE

STANDARD SIZES

FAMILY	ARCHITRAVE	SKIRTING
LT	80–300 × 18 mm	80–300 × 18 mm
DT	55–300 × 18 mm	55–300 × 18 mm
AH · AJ	AH 90 × 18 mm	AJ 120–300 × 18 mm
GS · BV	GS 90–300 × 18 mm	BV 50–300 × 18 mm
VA · PK	VA 120–300 × 25 mm	PK 140–300 × 18–25 mm



GS ARCHITRAVE · BV SKIRTING



VA ARCHITRAVE · PK SKIRTING

Every profile is available in **any timber, any profile, any size**, with a full in-house matching service for period and heritage work.

PRE-PRIMED · RAW MDF

MOULDINGS · THE STANDARD RANGE

The Profile Families, Continued

Five further architrave and skirting families — from the crisp Colonial lines of FN to the deep Federation sweep of PBA.



FN — ARCHITRAVE & SKIRTING



XA — ARCHITRAVE & SKIRTING



TT — ARCHITRAVE & SKIRTING



FN ARCHITRAVE



XA ARCHITRAVE



TT ARCHITRAVE



CV ARCHITRAVE



PBA ARCHITRAVE

STANDARD SIZES

FAMILY	ARCHITRAVE	SKIRTING
FN	85–300 × 18 mm	85–300 × 18 mm
CV	90–300 × 18 mm	90–300 × 18 mm
TT	70–300 × 18 mm	70–300 × 18 mm
PBA	100–300 × 18 mm	100–300 × 18 mm
XA	85–300 × 18 mm	85–300 × 18 mm



CV — ARCHITRAVE & SKIRTING



PBA — ARCHITRAVE & SKIRTING

Standard products are supplied **pre-primed**; other timbers by request. A full in-house matching service is available for period and heritage profiles.

ANY TIMBER · ANY PROFILE

MOULDINGS · RUN TO ORDER

Decorative Mouldings & Cornices

Dentil courses, enriched cornices and carved mouldings, run to order in furniture-grade pine or the timber of your choice.



FLUTED MOULDING — DM 1



BLOCK DENTIL — DM 2



SHAPED DENTIL — DM 3



ENRICHED CORNICE, IN SITU — DM 4



SHAPED DENTIL, DETAIL — DM 3

CUSTOM TIMBER PRODUCT

Matching Service

Any moulding reproduced from a sample, photograph or profile drawing — any timber, any profile, any size.

PERIOD STYLE WEATHER BOARDS









BLOCK WEATHERBOARD — PWB 1



ROUND SHINGLES — PWB 2



SCALLOP WEATHERBOARD — PWB 3

THE KAREM STORY · SINCE THE GREAT DEPRESSION

Four Generations in the Making

Our family involvement in timber and joinery began in Box Hill, Victoria, and came about at the time of the Great Depression.

The former business, known as Westons Timber, had been purchased by my grandfather **Daniel Robert Dossetor** and renamed Station Timber Yards Joinery.

As a consequence of the Depression, my father, **Daniel Randal Dossetor**, was removed overnight from Geelong Grammar at age 16 and put to work for the next 4 years. The joinery and timber yard prospered, specialising in joinery for church restoration along with staircases and windows. My father joined the RAAF when WW2 began and was awarded the DFC. He returned from the War and set up as a builder sourcing timber and joinery from the family business. During this time he had also become a founding member of the HIA.



STATION STREET, BOX HILL, VIC — CIRCA 1939

My father retired in 1982 when I became managing director. From 1982 onwards I attempted to increase the retail component of the business while at the same time retaining our trade custom. In the mid 1980's I recognised the popularity of Period Style Renovation in the area, so Station Timber Yards went down a path in Box Hill of becoming Period Style Products specialists. The joinery side of the business had been moved to a site in Bayswater and had taken over another joinery business called **Karem Woodcraft**, and it continues under that name as the largest producer in Victoria of period style products, many of which were produced at the joinery in Box Hill by my grandfather Daniel Robert Dossetor.

The fourth generation, my son, **David Rumney Dossetor**, is now the general manager and runs the business with a very experienced team including his uncles, my brothers, Daniel and Simon Dossetor, still working within the factory keeping up the family tradition. I have continued to develop my links with the timber industry and have been a long serving member of the board of the Timber Merchant's Association, serving as President for some of those years. I have also served as a ministerial advisor in an honorary capacity to three Liberal and two Labour Federal Ministers for Agriculture and Forestry. For further detail on our company history refer to our website.

Clive Dossetor
MANAGING DIRECTOR

GATES & FENCING


The Gate Range Is Just the Beginning

A huge standard range, along with the custom timber product matching service for everything else.
















For Technical Support

1300 547 581

Phone (03) 9720 7266 · Fax (03) 9720 7191

852 Mountain Hwy Bayswater 3153 VIC

sales@karemwoodcraft.com.au

www.karemwoodcraft.com.au

OVER 40 YEARS · 1984 EST

GATES & FENCING · MANUFACTURE

The Making of a Karem Gate

EVERY GATE IS MANUFACTURED WITH



- **Mortise and tenon joints** throughout.
- **19 mm** thick ply boards.
- **90 mm × 65 mm** thick frames.
- Our own **in-house LOSP treatment plant**.
- LOSP treated pine as standard; other timbers available.
- Full custom matching service on gates and posts, plus lots more.
- All gates made to suit your sizes and needs.
- Gates and posts sold separately.



0% 100% LRV

We highly recommend oil-based primers and light coloured paints of **60%+ LRV** — see our web site for painting instruction.



THE STANDARD DESIGNS



ASPEN — GATE 1



CECUNDA — GATE 2



CHELSEA — GATE 3



MACKAY — GATE 4



SINGLETON — GATE 5



WILLOW — GATE 6

GATES & FENCING · THE STANDARD RANGE

The Standard Designs, Gates 7–16

MADE TO SUIT YOUR SIZES




SMITHTON — GATE 7



CLEVE — GATE 8



WINTON — GATE 9



BALLINA — GATE 10




CHARTERS — GATE 11




EMMET — GATE 12



MILES — GATE 13



COOPER — GATE 14



EMERALD — GATE 15




WILPENA — GATE 16

GATES & FENCING · THE STANDARD RANGE

The Standard Designs, Gates 17–25

GATES & POSTS SOLD SEPARATELY



BOURKE — GATE 17



ROMA — GATE 18



PENOLA — GATE 20




ORBOST — GATE 21




COLER — GATE 22



SOUTH — GATE 23



ROY — GATE 24



SWAN — GATE 25








For technical support **1300 547 581** · Ph (03) 9720 7266 · Fax (03) 9720 7191 · 852 Mountain Hwy, Bayswater 3153 VIC · www.karemwoodcraft.com.au


GATES & FENCING · THE STANDARD RANGE

The Standard Designs, Gates 26–35


MADE TO SUIT YOUR SIZES




MAREE — GATE 26




JABIRO — GATE 27



RENMARK — GATE 28




LAURA — GATE 29



JUNE — GATE 30



EAST — GATE 31




FINLAY — GATE 32



WITTEN — GATE 33



MOSS — GATE 34




HOPETON — GATE 35

GATES & FENCING · THE STANDARD RANGE

The Standard Designs, Gates 36–43

ANY TIMBER · ANY SIZE




MITCHEL — GATE 36




PARKS — GATE 37




ROBE — GATE 38



VENEER — GATE 39



CANTERBURY — GATE 40




HAWTHORNE 2.0 — GATE 41





KENSINGTON — GATE 42



PERTH — GATE 43







For technical support **1300 547 581** · Ph (03) 9720 7266 · Fax (03) 9720 7191 · 852 Mountain Hwy, Bayswater 3153 VIC · www.karemwoodcraft.com.au

QUALITY TIMBER PRODUCTS

The Twenty-Five Year Guarantee

We are proud of our products, and that is why we stand by them. Follow our care and painting instructions, and if anything goes wrong — we'll be there for you.

WHICH PRODUCTS ARE ELIGIBLE?

At Karem Woodcraft we offer a 25 year guarantee on all external LOSP H3 treated pine products which are for above ground. All you need to do is follow our care and painting instructions and, should anything go wrong, we will be there for you.

HIGH QUALITY & ENVIRONMENTALLY FRIENDLY

All our LOSP H3 pine products are treated in-house with our Osmose Protim treatment tank — a system we have been using for over 30 years. The Protim LOSP H3 treatment is a tried and trusted method of preserving timber against fungal decay and insect attack for external timbers.

A LASTING PRODUCT

The pine is treated to a level of LOSP H3 after being manufactured. This ensures our customers have a long lasting product when placed in the harsh Australian environment: it will stand up not only against rain, but also to heat, which is a major factor in the life of a timber.

WHAT ABOUT OTHER PRODUCTS?

To give you peace of mind across our full product range, we also carry a **10 year manufacturing warranty on all assembled products**. Note: our 25 year guarantee is product replacement only, when our painting guidelines have been followed — not any installation cost etc.

All products treated with LOSP are for external use only (Light Organic Solvent Preservative), unless otherwise stated. **Oil base primer required** — please refer to our painting instructions. 25 year guarantee* on treated timber. *See separate limited guarantee document.

FOR TECHNICAL SUPPORT
1300 547 581
Phone (03) 9720 7266 · Fax (03) 9720 7191

852 Mountain Hwy Bayswater 3153 VIC
sales@karemwoodcraft.com.au · www.karemwoodcraft.com.au

CARE & FINISHING

Painting of L.O.S.P. Products

Light Organic Solvent Preservative products, for external use. This is a clear treatment — unprimed. Karem's LOSP treatment is clear because some of our customers choose to stain our timber different colours.

WE RECOMMEND AN ALKYD (OIL BASED) SYSTEM

1 **Two thin coats** of oil based primer / undercoat.

2 **Two to three thin (top) coats** of acrylic / water based to finish.

> It is highly recommended that you don't paint your products until **72 hours** have passed from delivery. Please adhere to painting advice from your nearest paint specialist.

As with many things in life, we wish only your return business and provide new products for exciting renovations and new homes. Please understand that all products are treated to a level of LOSP H3 after manufacture, to give the customer a lasting product when placed in the harsh Australian environment. Not only rain but heat is a major factor when placing any timber product outside.


The PROTIM LOSP treatment system is a tried and trusted method of preserving timber against fungal decay and insect attack for external timbers in above ground applications. Initial correct preparation and application of surface coatings, followed by a simple, regular maintenance regime means your outdoor PROTIM treated timber will provide you a long term aesthetic pleasure.

All six sides of any product fitted must be painted

— including end grain, prior to installation —

For best performance PROTIM H3 treated timber should be kept dry during and after installation, until paint has been applied. When handling an LOSP product, please refer to **www.osmose.com.au/osmose-protim-optimum.htm**. For further information on external fixings and advice when using or fitting an LOSP product, please ask your local hardware store representative.

LRV SCALE — LIGHT REFLECTIVE VALUE



WE STRONGLY RECOMMEND PAINT COLOURS ABOVE 60% LRV · PLEASE CONSULT YOUR PAINT SUPPLIER OR MANUFACTURER

PAINT COLOURS

All timber products, LOSP treated pine or non treated, exposed to sunlight should be painted with light reflective colours, as dark colours absorb light and heat. Using dark colours will cause a drying effect on the timber products and could cause extreme overheating of the surfaces facing the sun; this would also create unacceptable stress on the structure of timber and joints. The use of a light coloured topcoat is essential.

Your paint supplier or paint manufacturer can advise you on the light reflective value (LRV) of the colour you have selected — the higher the LRV, the less heat the substrate will absorb, lengthening the expected life of the paint finish and product. Black has a LRV of approximately 5; white has a LRV of approximately 95. Choosing paint colours with an LRV of greater than 60 is a wise choice.


EXTERIOR DÉCOR

ALL STYLES 1200 MM WIDE · 9 MM PLY


Decorative Relief & Barge Boards



GABLE INFILS IN RESIDENCE



BARGE BOARD — BB3



DR1 — 120 MM



DR2 — 120 MM



DR3 — 105 MM

GABLE INFILS

STYLES GI 1 — GI 7 · MACHINED FROM 9 MM PLY

A wide range of styles are available, custom machined for your gable size — inserts are machined from 9 mm ply. To order, measure the **Height (H)**, **Width (W)** and **Length (L)** of your gable in mm.



GI 1



GI 2



GI 3



GI 4




GI 5



GI 6



GI 7




TO ORDER, MEASURE H · W · L

GABLE VENTS



ROUND



HALF ROUND



OCTAGONAL

GABLE VENTS — LOSP PINE	CODE
Round 450 mm	GVRND450
Round 600 mm	GVRND600
Hexagonal 450 H × 510 mm W	GVHX
Octagonal 455 × 455 mm	GVOCT
Square 455 × 455 mm	GVSQ
Half round 720 × 420 mm	GVHR

EAVES BRACKETS

OTHER SIZES AVAILABLE BY REQUEST
ALL STYLES 140 × 190 × 42 MM



EB1



EB2



EB3



EB4



EB5



EB6

Select from our wide range of exterior décor products — all available in standard design, or made to order.

VERANDAH RAFTERS


A Full Matching Service

Karem have an extensive range of sizes and curves (radius) for the rafter styles below. All rafters are made in LOSP treated pine — and made to your measurements.

TO ORDER YOUR VERANDAH RAFTERS, MEASURE

Length (L)	in mm
Radius (R)	in mm

> Use **external measurements**. Steel is to be rolled to the same radius (R), which is the outside edge of the rafter.




SAMPLE VERANDAH ELEVATION — BULLNOSE



WINDOW CANOPY IN LOSP TREATED PINE

RAFTER STYLES


STANDARD THICKNESS 90 × 42 MM · HIPS TO SUIT YOUR REQUIREMENTS




BULLNOSE



CONCAVE



CONVEX




OLDE GOTHIC

WINDOW CANOPIES · CUSTOM AVAILABLE

Window canopies provide a decorative yet functional solution against radiant heat. They are available as ends only, or as a complete kit — including miniorb / small corrugated steel sheets in Zincalum or your choice of Colourbond colour. They are manufactured in LOSP treated pine. **'How to' assembly guide included.**

Due to different mounting surfaces, the kit does not include flashing. Options for mounting:

- Canopy roofing sheets placed up under the bottom edge of weatherboard.
- Place a length of timber across the top of roofing sheets.
- If flashing is required, push up under the weatherboard and mould the bottom edge to suit the shape of roofing sheets.



CANOPY END STYLES — WC5 · WC1 · WC2 · WC3



WC4 — 620 × 1160 MM · 47°

Please visit our website for how-to guides — www.karemwoodcraft.com.au

VERANDAH POSTS · DROPPERS · NEWELS

Turned & Routed Verandah Posts


Transform your verandah with a selection from our extensive range of turned and routed verandah posts, newel posts, finials and droppers — all supplied in L.O.S.P. treated pine, other timbers by request.




VERANDAH POSTS IN RESIDENCE

VERANDAH POSTS

OTHER SIZES AVAILABLE BY REQUEST






STANDARD VERANDAH POSTS	
Thicknesses	88 × 88 · 112 × 112 · 135 × 135 mm
Lengths	2400 · 2700 · 3000 · 3300 · 3600 mm

V1 – V3 · V6A	TOP	CENTRE	BASE
3000 mm	1000	1500	500
2700 mm	800	1500	400
2400 mm	500	1500	400

V4 · V5	TOP	CENTRE	BASE
3000 mm	1100	870	1030
2700 mm	800	870	1030
2400 mm	500	870	1030

THE VICTORIAN RANGE


FOR V7 ETC., HOW-TO-MEASURE GUIDES FOUND ON OUR WEBSITE




Capital and base moulds (shown on V3B) are available on other styles of posts, or separately. Components are supplied from 1.2 m high, in thicknesses from 88 mm sq. to 290 mm sq. Turned sections and dimensions can be tailored to your specification. Gable finials are available in a wide range of sizes — custom match turning also available.

DROPPERS

STYLES V1D – V5D



NEWELS



STANDARD NEWEL POSTS	
Thicknesses	88 × 88 · 112 × 112 mm
Lengths	1200 · 1500 mm

GABLE FINIALS · CORNER BRACKETS

Finishing Touches for the Verandah

A quick and simple way to add a touch of individuality to a plain verandah — all made from solid timber and treated with LOSP to H3 after production.



CORNER BRACKET IN LOSP PINE



F1 · F2 · F3

GABLE FINIALS (MM)	F1	F2	F3
Bottom turning	100	150	110
Top turning	250	325	425
Flat — length 600	250	125	n/a
Flat — length 750	400	275	215
Flat — length 900	550	425	365
Flat — length 1200	850	725	665
Flat — length 1500	1150	1025	965


STANDARD THICKNESSES

45 × 45 mm
70 × 70 mm
88 × 88 mm

Table measurements are mm, for standard finials 70 × 70 mm thick. Other sizes available by request.

CORNER BRACKETS

32 MM THICK · CB-6ES, CB-11ES 25 MM · CB-22, CB-29 42 MM



CODE	SIZE (MM)	CODE	SIZE (MM)	CODE	SIZE (MM)	CODE	SIZE (MM)
CB-1	190 x 455	CB-8	450 x 450	CB-11ES *	190 x 250	CB-24	325 x 455
CB-2	360 x 560	CB-9	430 x 480	CB-12	465 x 465	CB-25	325 x 325
CB-3	450 x 460	CB-9S	325 x 325	CB-13	455 x 495	CB-26	225 x 225
CB-4	400 x 410	CB-10	320 x 620	CB-14	400 x 425	CB-27	420 x 430
CB-6	440 x 530	CB-10S	210 x 350	CB-14S	360 x 360	CB-28	420 x 490
CB-6S	325 x 325	CB-10M	280 x 450	CB-14ES	190 x 190	CB-29 †	420 x 420
CB-6ES *	310 x 200	CB-11	300 x 460	CB-21	190 x 450	CB-33	450 x 450
CB-7	340 x 530	CB-11S	325 x 325	CB-22 †	280 x 280	CB-metro	300 x 500

* 25 MM THICK · † 42 MM THICK · ALL OTHERS 32 MM

Our extensive range of corner brackets cater for all decorative situations as a quick and simple way to add a touch of individuality to a plain verandah. Corner brackets make an ideal compliment to frieze and fretwork panels, and will enhance both interior and exterior locations.

EXTERNAL FRETWORK · BALUSTRADE

External Fretwork



FRETWORK, IN RESIDENCE

Crafted to compliment the home — choose the design to match the period of your home, or we can manufacture to your design. Available assembled or in a kit form.



FR9



FR10



FR5



FR2
300 MM DEEP



FR3
300 MM DEEP



FR8



FR4



FR4 WITH A MOTIF
300 MM DEEP




FR4 ARCHED WITH A MOTIF
300 MM DEEP




FR1



DROPPER
FR1



FRRA STRAIGHT STANDARD RAIL
REBATE 12 × 19 MM




FILET
TO SUIT REBATE IN FRRA

STD LOSP Pine. Other timbers by request. Other sizes available by request. Fretwork panels FR2, FR3, FR4 With A Motif and FR4 Arched With A Motif are 300 mm deep. The FRRA straight standard rail is 42 × 42 mm with a 12 × 19 mm rebate; the FILET suits that rebate.


OPTIONAL MOTIFS — FRETWORK FOR FR4 OR FR4 ARCHED

STYLES A — G · 90 × 19 × 235 MM



OPTIONAL MOTIF INSERTS FOR BS4 BALUSTRADE

STYLES A — G · 90 × 19 × 1000 MM




BALUSTRADE

PANELS 900 MM HIGH




BS1 SLATS · BS6 SQUARES



BS2
SAME AS STAIR PRODUCT 4 (PAGE 19)



ASSEMBLY IS BS4
WITH A MOTIF



ASSEMBLY IS BS5
42 × 42 MM TURNED BALUSTERS

BALUSTRADE RANGE	
BS1 — Slats	19 × 42 mm
BS6 — Squares	42 × 42 mm
BS2	Same as stair product 4 (page 19)
BS5	42 × 42 mm turned balusters

Assembled balustrade and fretwork is constructed by our highly trained tradesmen with a water resistant adhesive, and treated with LOSP to H3 after assembly for maximum durability. Warranty only applies if installation is to recommendations set out on page 26.

10 YEAR WARRANTY — ALL ASSEMBLED PRODUCTS

POST KNOBS & CAPITALS

Post Knobs, Capitals & Handrail

Turned knobs, pyramid tops and cappings to crown the post — with handrail and base rail profiles to complete the balustrade.



CAPPED POSTS, IN RESIDENCE

NEW — ALUMINIUM CAPITALS · 125 / 100 MM SPEAR



ALUMINIUM SPEAR CAPITAL



BALL — C1




ACORN — C2




WINDSOR — C3

For all styles, standard base diameters are **86 mm and 108 mm** — other sizes by request.


PYRAMID POST TOPS & CAPPINGS



PYRAMID TOP
120 OR 140 MM SQUARE



CODE C4120
103 × 34 MM



CODE C4140
118 × 44 MM



PYRAMID CAP WITH MOULIDING
PYR 90 · 100 · 115 · 125 · 140

PYRAMID TOPS (MM)

C4120	103 wide × 34 high
C4140	118 wide × 44 high
Base	120 or 140 mm square
Cap + moulding	PYR 90 · 100 · 115 · 125 · 140
Cappings	DAN 90 · 100 · 115 · 125 · 140

CRICKET BAT MOULDINGS




CRICKET BAT MOULDING

CODES
CBM 75
CBM 100
CBM 120
CBM 125
CBM 150

DAN CAPPING PROFILE




MOULDED CAPPING — DAN RANGE




DAN PROFILE — DIMENSIONED
DAN 90 · 100 · 115 · 125 · 140

HANDRAIL & BASE RAIL


STANDARD REBATE 19 MM WIDE × 12 MM DEEP · OTHER REBATE SIZES ON REQUEST



HANDRAIL PROFILES




BASE RAIL — BR2ASL



FILET
TO SUIT REBATE IN BR2

RAILS (MM)

HR1ASL	65 × 42
HR2ASL	85 × 65
BR2ASL base rail	65 × 42, rebate 12 × 19
Filet	12 × 19, to suit rebate in BR2



ASSEMBLY — 6 BALUSTERS PER METRE STD.

Illustrated combination: verandah post V4 (112 × 112 mm) · handrail assembly BS5 with TB4 baluster (42 × 42 mm) and HR2 handrail, rebated to 42 × 12 mm to suit turned balusters · newel post N4A (112 × 112 mm).


SCREEN DOORS · CORBELS · FIRE SURROUNDS

Screen Doors & Interior Detail


Screen doors are of a solid mortice and tenon construction, sanded ready for painting — below are just a few of the options from a wider range of styles. **Made to your sizes in LOSP pine standard.** Supplied without hardware and screening; other timbers by request. Includes beading mitred to suit.




FIRE SURROUND, IN RESIDENCE




SD 3




SD 5




SD 6



SD 9



SD 10




BRACKETS — SDB1–4 · SDS-1



CNC ROUTER CORBEL — CB DUSTY

New CNC router corbel — 88 mm wide, 97 mm deep, 220 mm long. Other sizes available on request.



TURNED CORBELS — NO.7 · NO.8 · NO.9

CARVED CORBELS



NO.1



NO.2



NO.3



NO.2S

CARVED CORBELS (MM)	NO.1	NO.2	NO.3	NO.2S
Length	380	325	325	220
Face	90	90	90	70
Deep	85	80	60	50




SMALL — 67 × 67



92 × 92

ROSETTE CORNER BLOCKS

For the top corner of architraves. Sizes: small 67 × 67 mm · 92 × 92 mm. Material thicknesses — KD hardwood 19 mm, MDF 18 mm, pine 19 mm.




RADIATOR COVER

WATER-OIL HEATER RADIATOR COVERS


Made to your measurements — the designed pattern can be made to match other products.

FIRE SURROUNDS


TIMBER FOR STAINED WORK · MDF FOR PAINT FINISH (YORK & VICTORIAN)




CHEVAILER



YORK



VICTORIAN



WESTMINSTER

Fire surrounds are available with a choice of turned or carved corbels from our stock lines.

STANDARD MOULDED PRODUCTS

Standard Moulded Products

Any size, any timber, any profiles available.



LARGE HANDRAIL — HR2ASL



HANDRAIL (SMALL) — HR1ASL



BOTTOM RAIL — BR2ASL



FRETWORK RAIL — FRRA



FILLET — FIL19A

CODE	H × W (MM)
HR2ASL	65 × 85
HR1ASL	42 × 65
BR2ASL	42 × 65
FIL19A fillet	12 × 19, to suit rebates
FRRA	42 × 42, top & bottom

MOULDINGS FOR THE V3B POST

STANDARD POST RANGE — PAGE 30



V3B POST



LCMA · 50 × 64 MM



SCMA · 15 × 22 MM



BM · 230 × 30 MM

The three profiles are attached to the V3B posts. Moulding can be sold separately, by the metre.

PROFILE	SIZE (MM)
LCMA	50 wide × 64 high
SCMA	15 wide × 22 high
BM	230 high × 30 wide

ORIGINAL DESIGN, EXTENDED TO SUIT

INTERNAL FRIEZE WORK — SEE FRIEZE WORK, WINDOW PELMETS & PRIVACY SCREENS, PAGES 37–38



ORIGINAL DESIGN



EXTENDED TO SUIT

www.karemwoodcraft.com.au

BALUSTRADE & HANDRAILS

The Extended Handrail Range

Seventeen milled handrail sections — from the simple mopstick and D-mould to the full turned Colonial profiles. Machined to length in your choice of timber.

OFF-RANGE · MADE TO ORDER

The profiles below are milled to order — allow approximately a **3-week lead time**. Our two standard **in-stock** handrails, HR1ASL and HR2ASL, are on the previous page.

Shown in oak; also milled in LOSP-treated pine, Merbau, Spotted Gum and other hardwoods. Indicative cross-sections. Custom profiles matched from a sample — POA.


HR3


HR4


HR5


HR6


HR7


HR8


HR9


HR10


HR11


HR12


HR13


HR14


HR15


HR16


HR17


HR18


HR19

All profiles available in matching newel caps and stair rail. Made to your length — ends returned, mitred or scrolled to suit.

FRIEZE WORK · WINDOW PELMETS · PRIVACY SCREENS

Internal Frieze Work

A computer design drawing service is available — any size available, to the millimetre.



INTERNAL FRIEZE WORK, IN RESIDENCE


Below are examples of how a pattern can change in width and drop. Patterns may vary in appearance depending on your width and drop requirements. To complete your decorative needs, the designs below are available as internal fretworks and also as boxed window pelmets — in timbers, and MDF panels with a pine frame. On top of our comprehensive range, we also offer a full matching service.

WIDTH & DROP — ONE PATTERN, MANY SIZES

HFR1 & HFR4 EXAMPLES




HFR1 — 3300 × 600 MM · TWO TURNED DROPPERS WITH AN INSERTED CENTRE PANEL



HFR1
1300 × 600 MM



HFR1
1500 × 600 MM DROP




HFR1
1500 × 1200 MM DROP



HFR4
1300 × 600 MM

At 1300 mm wide, HFR1 has one centre turned dropper; at 3300 mm, two turned droppers along with an inserted centre panel. HFR4 gains extra centre patterns over wider dimensions.



HFR4 — 2600 × 600 MM

THE FRIEZE WORK RANGE


DRAWN WITH THE DROP BEING APPROXIMATELY 500 TO 600 MM



HFR1




HFR2




HFR3



HFR4



HFR5



HFR8



WINDOW PELMET — HFR2WP

FRETWORK & WINDOW PELMETS

Widths and drops made to suit your requirements — please contact us for window pelmet codes.

INTERNAL FRETWORK & WINDOW PELMETS

The Frieze Work Collection

A full matching service, with a computer design drawing service available. Our fine selection of internal frieze and fretwork panels are available in MDF and solid timber, for painted or stained finishes.




FRIEZE WORK — HFR19



HFR9 DFR10 DFR11 HFR10 HFR12



HFR13 HFR14 HFR15 HFR16 HFR17



HFR18



FRI 3 FRI 5 FRI1-NOUVEAU

Patterns may vary in appearance depending on your width and drop requirements. **FRI 3, FRI 5 and FRI1-Nouveau have turned droppers on the sides** — the rest of the range has 'thumb nail' style droppers.

BALUSTRADE INSERT DESIGNS

THESE FOUR DESIGNS CAN BE USED AS INSERTS FOR HANDRAIL BALUSTRADES — PAGE 32



BPHG BPNK BPCH BPGV

Excellent for making a dull hallway interesting, or breaking up large ceiling areas — even in non-period homes.


HOW TO ORDER

V-Style Post Order Form

V7 to V7FH are round with an octagonal base. Your posts are made in LOSP treated pine unless otherwise specified.



V7 — PLAIN | V7F — FLUTED | V7H — PLAIN · HANDRAIL | V7FH — FLUTED · HANDRAIL | V8 — ROUND · OCTAGONAL BASE



1 · SPECIFY THE POST

Square size at top — 88 × 88 mm ☐

95 × 95 mm ☐

112 × 112 mm ☐

120 × 120 mm ☐

NUMBER OF POSTS REQUIRED _____

Can you re-use the existing aluminium capitals? YES ☐ NO ☐

If a handrail block is needed, measure from the ground to the top of the block, in mm.

GROUND TO TOP OF BLOCK _____ MM

2 · MEASURE

OVERALL LENGTH _____ MM

GROUND TO TOP OF CAPITAL _____ MM

The base section is always **300 mm**.

3 · YOUR DETAILS


NAME _____

PHONE _____

EMAIL _____

PERIOD PRODUCTS

Fireplace Mantel Order Form



STYLE _____

Mantel included YES ☐ NO ☐

Mantel attached at factory YES ☐ NO ☐

SPECIALS — E.G. 2ND TOP, NO CORBELS _____

M	Total mantel size
W	Width
H	Total height with the 32 mm mantel
F	Height of surround, excluding 32 mm mantel
A	Opening size
B	Opening height
E	Mantel depth — normally 260 mm
D	Mantel side overhang — normally 80 mm
C	For curved-opening mantels only — point the straight ends

TECHNICAL SUPPORT
1300 547 581
Phone (03) 9720 7266 · Fax (03) 9720 7191

852 Mountain Hwy Bayswater 3153 VIC
sales@karemwoodcraft.com.au · www.karemwoodcraft.com.au

HELP MAKE THE JOB EASIER

The ‘How To’ Guides



Every guide below is freely available at www.karemwoodcraft.com.au — and if your project is not listed, our team will gladly talk it through with you.

PERIOD PRODUCTS

- How to measure arched architraves
- How to measure full circle architraves
- How to measure half circle arch architraves
- How to measure rafters
- How to assemble guide — window canopies
- How to measure guide — window canopies
- How to measure V7 posts

STAIRS

- How to assemble flights
- How to assemble guide — premium stairs
- How to assemble guide — stairs
- How to measure — stair specials
- How to measure — standard stairs
- How to install guide — aluminium nosing kits (BCA)

WINDOW PELMETS

- How to measure / order
- How to assemble guide

HOW TO MEASURE

Verandah Rafters

Standard rafters are made of L.O.S.P. treated pine — other timbers by request.


TO ORDER, WE REQUIRE

1. Overall length (L), in mm.
2. External radius (R), in mm — our standard external radius is 350 mm.
3. Size of rafter material — standard is 90 × 42 mm.

RAFTERS — STANDARD SIZES


Height (H)	90 mm
Width (W)	42 mm
Radius (R)	350 mm

All other sizes and radii are available by request.




Rafter products available — standard (STD) rafters, 22.5° hips, 45° hips and 45° valleys, in the four styles shown.


A sample order — quantity 16 · style Bullnose · product STD Rafters · material 90 × 42 mm, LOSP T/Pine · length 1800 mm · radius 350 mm.



RADIUS · HEIGHT · WIDTH



22.5° HIPS · 45° HIPS · 45° VALLEYS IN PLAN




THE STYLES — BULLNOSE · OLDE GOTHIC · CONCAVE · CONVEX

CUSTOM WORKS

Karem Egg & Dart

ENRICHMENTS · GATES · ONE-OFF MOULDINGS



EGG & DART ENRICHMENT — CARVED IN THE WORKSHOP



CUSTOM CORBELLED MOULDING, IN THE WORKSHOP



CUSTOM JOINERY, IN RESIDENCE



CUSTOM TIMBER GATES



DECORATIVE PEEP-HOLE RAIL



CROSSED-BRACE GATE, IN PRODUCTION

CUSTOM SIZES AVAILABLE

Louvres, Shutters & Doors

Fixed timber louvres and shutters keep out the rain and direct sunlight while still admitting light and air — able to be made in any size, out of any timber.

LOUVRES



FIXED TIMBER LOUVRE PANEL

Made from LOSP treated pine, cedar or hardwood. Supplied in a flat pack or manufactured as a full panel.

WINDOW / DOOR SHUTTERS



TIMBER SHUTTERS — CEDAR & PINE

Made from LOSP treated pine. Able to be made in any size & out of any timber.

FLY SCREEN DOORS



FLY SCREEN DOORS, MADE TO SUIT

Made using LOSP treated pine, an environmentally friendly timber. Each door is made to your specifications — give us the size of your door frame and we will make your screen door to suit.

SUGGESTED STANDARD SIZES

PRODUCT	SLATS	FRAME & RAILS
Louvres	85 × 17 mm	90 × 42 mm frame
Window / Door Shutters	35 × 10 mm · 35 mm thick	Face surface of top, side & centre rails 65 mm · bottom rail surface face 90 mm
Fly Screen Doors	—	18 – 30 mm in thickness, made to your door frame

Custom sizes available across the range.

ONE PATTERN · THREE PRODUCTS


Three Different Products with the Same Pattern

1 WINDOW PELMETS



The code for this style as a window pelmet is SA7WP.

2 INTERNAL FRIEZE WORK



Frieze work made out of timber or MDF. If the style has a straight bottom edge, frame 42 × 42 mm on all four sides. The code for this style as an internal frieze work is SA7FW.

3 PRIVACY SCREENS



Made out of 9 mm ply LOSP pine for external, or MDF for internal. Other timbers available by request.

Over 60+ patterns available — see them all at WWW.KAREMWOODCRAFT.COM.AU


PROUDLY HELPING TO RESTORE

The St Kilda Pier Kiosk




After the fire — and with the assistance of the original drawings — Karem Woodcraft reproduced the arched internal & external window mouldings for the St Kilda kiosk.









ST KILDA PIER'S HISTORY

1853 The pier and jetty were constructed to assist the early settlers in unloading timber and building materials.

1904 The original pier's pavilion was built — a childhood favourite for generations.

2003 The kiosk was destroyed by fire.

2006 After the restoration was completed, the iconic landmark was reopened.



KEEP THE ICONIC INSTITUTIONS ALIVE

Puffing Billy

DANDENONG RANGES · VICTORIA



Keeping Puffing Billy alive — the manufacture of new timber carriage doors & seats.

Puffing Billy Railway, located only one hour east of Melbourne in the magnificent Dandenong Ranges, operates every day of the year except Christmas Day. The steam train journeys through 25 km of forests and fern gullies between Belgrave and Gembrook. Australia's favourite train is one of four low-cost 2'6" (762 mm) narrow gauge lines constructed in Victoria in the early 1900s to open up remote areas.

Unable to remain competitive against increasing road traffic, the experimental line was finally closed by the Victorian Railways in 1954 following a landslide. During a series of farewell trips, it was decided to try and save the line for generations to come, resulting in the formation of the Puffing Billy Preservation Society.

Since the line was reopened through to Gembrook in 1998, the little train has carried over 11 million smiling passengers, with patronage passing a record-breaking 487,000 in the last year. In addition to the traditional excursion train journey and the ever-popular Day out with Thomas events, passengers can also book a range of unique First Class wine and dine experiences — the daily Steam & Cuisine Luncheon, or one of the themed evening Dinner Trains, travelling in beautifully restored heritage dining carriages.

Still a volunteer-based organisation, Puffing Billy is now the largest not-for-profit narrow gauge heritage steam railway in the world. Awarded Silver in the 2016 Major Tourist Attraction category of the Victorian Tourism Awards, and a TripAdvisor Certificate of Excellence for the fourth year in a row, the little train's popularity continues to grow.



ALL ABOARD AT BELGRAVE



THROUGH THE FERN GULLIES



KAREM'S WORK — NEW TIMBER CARRIAGE DOORS & SEATS

WWW.PUFFINGBILLY.COM.AU



NEW TIMBER CARRIAGE DOORS



CARRIAGE SEAT, IN PRODUCTION



NEW SEATING, FITTED TO THE CARRIAGE

PHOTO GALLERY

INTERIORS · VERANDAHS · COMMERCIAL

In Residence
















PHOTO GALLERY

Gates & Entrances


















PHOTO GALLERY

ENTRANCES · FRETWORK ARCHES

Porches & Arches














PHOTO GALLERY

BALUSTRADE · FROM THE BENCH

Verandahs & Balustrade

















PHOTO GALLERY

CURVED WORK · BARGE BOARDS

Period Fretwork











PHOTO GALLERY

ON THE BENCH · ANY TIMBER

Carving, Screens & Components




















PHOTO GALLERY

MANUFACTURED REPRODUCTIONS OF HERITAGE-LISTED COMPONENTS

Heritage, Reproduced





BEFORE — THE ORIGINAL VERANDAH, DECAYED



AFTER — REPRODUCED AND REINSTATED IN TIMBER



PHOTO GALLERY

RESIDENCES · BALUSTRADE · GATES

Custom Designs



















THE WORKSHOP

AUSTRALIAN MADE · SHIPPING AUSTRALIA-WIDE

From The Factory

Every Karem piece begins here — in our own Bayswater workshop, where solid timber is cut, turned and carved by hand, one order at a time.







AUSTRALIAN MADE

Not imported, and never mass-produced. Every profile, baluster and bracket is milled to order in solid Australian timber, on our own benches — the way it has been since 1984.







THE WORKSHOP

ANY DESIGN · ANY TIMBER


From The Factory

MADE TO LAST

Solid timber and traditional joinery, sanded and ready to finish — balustrades, doors and fretwork built to outlast the house they go into.







WE WORK WITH YOU

From a drawing, a photograph or an original sample, we match any period detail — and keep you posted, from the bench to your door.







SECTION INDEX · PRODUCTS 1–6

The Stair Kit Range

1 TO 17 STEPS

240 MM OR 290 MM WIDE TREADS

Six ways to build a flight — from a pair of stringers to a fully pre-assembled stair — for DIY, domestic or commercial builders.



1 PAIR OF STRINGERS 3s

Routed sides · treads not included



2 SAWTOOTH CENTRE SUPPORTS 4s

Mid-flight support for wide treads



3 STAIR KITS 5s

Reeded treads included



4 HANDRAIL STAIR FLIGHT KITS 7s

Balustrade to suit every flight




5 PRE-ASSEMBLED STAIRS 8s

Delivered ready to install



6 PREMIUM STAIR KIT 9s


Commercial & domestic · 290 mm BCA treads



TIMBER TREADS

Reeded treads in 240 mm & 290 mm widths.

PRICE ON APPLICATION



ALUMINIUM STAIR NOSING KIT

Slip-resistant nosing · BCA rating P5 (2016).

PAGE 10S

FOR ALL STANDARD PRODUCTS

Heights, Steps & Distance Out

Australia's leading stair kit manufacturer. Any timber, any going, any rise.

TREADS, HEIGHT & DISTANCE OUT

240 & 290 MM WIDE STEPS · ALL FIGURES IN MILLIMETRES

HEIGHT TO TOP OF DECK	TREADS / STEPS	240 MM GOING	280 MM GOING 290 MM STEPS
330	1	340	380
495	2	580	660
660	3	820	940
825	4	1060	1220
990	5	1300	1500
1155	6	1540	1780
1320	7	1780	2060
1485	8	2020	2340
1650	9	2260	2620
1815	10	2500	2900
1980	11	2740	3180
2145	12	2980	3460
2310	13	3220	3740
2475	14	3460	4020
2640	15	3700	4300
2805	16	3940	4590
2970	17	4180	4870
3135	18	4420	N/A

Distance out is measured from the deck, in mm. Standard in LOSP **pine & Merbau** — for all other ground-to-deck heights, goings and timbers, please enquire.

THE LOSP ADVANTAGE

Karem Woodcraft is the only stair kit manufacturer in Australia with its own in-house LOSP (Light Organic Solvent Preservative) treatment tank. Stringers are treated **after** manufacture, so every surface is sealed — end cuts, pre-drilled holes and routering alike.


All LOSP pine stringers are manufactured in dressing-grade clears, Dressed All Round (DAR) — the most diverse range of stair kits, at the highest quality, supplied Australia-wide. Karem's LOSP treatment is **clear**, so the timber may be stained to the colour of your choice.

OSMOSE PROTIM® LOSP · H3 TREATED

240 / 280
STANDARD GOING, MM · FRONT EDGE TO FRONT EDGE

165
STANDARD RISE, MM · TOP SURFACE TO TOP SURFACE

100
NOSE, MM



FIVE-STEP STRINGER — 240 MM GOING

Shown above, a five-step, 240 mm-going stringer: per the table, **990 mm** from deck to ground, with a distance out from the wall of **1300 mm**. **Ten-year LOSP guarantee.** To assist the longevity of your product, please follow our care and painting instructions, using an oil-based paint or oil-based stain on all surfaces — details at www.karemwoodcraft.com.au.

TECHNICAL SUPPORT **1300 547 581** · (03) 9720 7266 · Fax (03) 9720 7191
852 Mountain Hwy Bayswater 3153 VIC ·
sales@karemwoodcraft.com.au

PRODUCT 1 · 1 TO 17 STEPS


Pair of Stringers

Routed sides for construction, treads not included — the most economical method, flexible for any width and readily available in stock. Stringers come pre-drilled.




PAIR OF STRINGERS — PRE-DRILLED

240 MM OR 290 MM TREADS · AVAILABLE IN SPOTTED GUM AND OTHER TIMBERS



STRINGER PROFILE — DIMENSIONS IN MM



ROUTED TREAD SLOTS — 240 / 290 MM

A **45 mm** slot accepts a 45 × 240 mm LOSP pine tread; a **42 mm** slot accepts a 42 × 240 mm Merbau tread. Proper installation is for the sides of stairs to be elevated **20 mm** above the ground surface — refer to page 5s.

HOW TO ORDER

Complete the order code below by adding the number of steps you require. For example, to order a five-step 240 mm stringer pair — in LOSP the code is **KLStair5**; in Merbau, **KMStair5**.

To work out the number of steps you require, refer to the height table on page 2s.

TIMBER TYPE	STEP WIDTH	ORDER CODE
LOSP Treated Pine	240 mm	KLStair_____
	290 mm	KLPRStair_____
Merbau	240 mm	KMStair_____
	290 mm	KMPRStair_____

ONE STRINGER KIT INCLUDES

- DIY instructions
- A pair of stringers
- Four galvanised screws per tread — 5 mm hex-drive batten screws, 14g × 100 mm

Standard kits are made from L.O.S.P. treated pine, or Merbau. Other timbers and sizes are available by special order, **POA**. Treads and threaded rod can be purchased from your local timber outlet. Delivery charge on all products POA.

PRODUCT 2 · 1 TO 17 STEPS


Sawtooth Centre Supports

For extra stability and durability over wider stairs, a sawtooth centre support is highly recommended for every 1200 mm of width.



SAWTOOTH CENTRE SUPPORT — PRODUCT 2

240 MM OR 290 MM TREADS · TREADS NOT INCLUDED · AVAILABLE IN SPOTTED GUM AND OTHER TIMBERS



CENTRE SUPPORT BENEATH THE FLIGHT — TREADS NOT INCLUDED

SUPPORTS BY STAIR WIDTH

OVERALL STAIR WIDTH	CENTRE SUPPORTS
1200 – 2400 mm	One sawtooth support
2400 – 3600 mm	Two sawtooth supports
3600 – 4800 mm	Three sawtooth supports — and so on

HOW TO ORDER

Complete the order code below by adding the number of steps you require. For example, to order a five-step 240 mm sawtooth support — in LOSP the code is **KLStair5**; in Merbau, **KMStair5**.

To work out the number of steps you require, refer to the table on page 2s.

TIMBER TYPE	STEP WIDTH	ORDER CODE
LOSP Treated Pine	240 mm	KLSaw_____
	290 mm	KLPRSaw_____
Merbau	240 mm	KMSaw_____
	290 mm	KMPRSaw_____

ONE CENTRE SUPPORT INCLUDES

- Sawtooth centre support
- Two screws per tread
- Galvanised 5 mm hex-drive batten screws, 14g × 100 mm

Stringer pairs and sawtooth centre supports are **sold separately**. Refer to the height table on page 2s for the number of steps.

Standard kits are made from L.O.S.P. treated pine, or Merbau. Other timbers and sizes are available by special order, **POA**. Delivery charge on all products POA.

PRODUCT 3 · 1 TO 17 STEPS


Stair Kits

Reeded treads included — the complete flight in one carton, 240 mm or 290 mm treads.

REFER TO THE HEIGHT TABLE ON PAGE 2S FOR THE NUMBER OF STEPS



STAIR KIT — REEDED TREADS INCLUDED



STAIR KIT COMPONENTS — PRODUCT 3

KIT WIDTHS


WIDTH	CONFIGURATION
990 mm	Stringer pair & reeded treads
1200 mm	Stringer pair & reeded treads
1800 mm	Includes one sawtooth centre support
2400 mm	Includes one sawtooth centre support
Longer	By special order — POA

Threaded rods are highly recommended for extra stability.




ASSEMBLED STAIR KIT — PRODUCT 3

RECOMMENDED INSTALLATIONS



OVER CONCRETE ON GROUND — 20 MM ELEVATION



CONCRETE / TIMBER — 20 MM ELEVATION

Proper installation is for the sides of stairs to be elevated **20 mm** above the ground surface — for example, mounted on a galvanised angle bracket or post stirrup.

For your warranty, all six sides of any product fitted must be painted — including end grain, prior to installation — as per the instructions on our website, www.karemwoodcraft.com.au.

PRODUCT 3 · COMPONENTS & ORDERING

Stair Kits — Quick & Easy Assembly

Full stair components in one kit — and the treads can be easily cut down in width, for full flexibility between standard kit sizes.




REEDED TREADS — INCLUDED IN EVERY KIT

ONE STAIR KIT INCLUDES

- A pair of stringers
- Reeded treads
- Four screws per tread, plus two per sawtooth support
- Galvanised 5 mm hex-drive batten screws, 14g × 100 mm

AVAILABLE IN SPOTTED GUM, BLACKBUTT AND OTHER TIMBERS



–54 MM PINE · –48 MM MERBAU

Cutting a kit down to size. If a standard kit must meet an exact overall outside measurement, deduct the figure shown from the tread / step length — **54 mm for pine, 48 mm for Merbau** — this allows for the thickness of the stringers on the outside of the rebates.

HOW TO ORDER · PRODUCT 3 · 1 TO 17 STEPS

Complete the order code below by adding the number of steps you require. For example, to order a five-step, 240 mm stair kit 990 mm wide — in LOSP the code is **KL990SKit5**; in Merbau, **KM990SKit5**. To work out the number of steps you require, refer to the table on page 2s.

TIMBER TYPE	STEP WIDTH	990 MM	1200 MM	1800 MM	2400 MM
LOSP Treated Pine	240 mm	KL990SKit____	KL1200SKit____	KL1800SKit____	KL2400SKit____
	290 mm	KLPR990SKit____	KLPR1200SKit____	KLPR1800SKit____	KLPR2400SKit____
Merbau	240 mm	KM990SKit____	KM1200SKit____	KM1800SKit____	KM2400SKit____
	290 mm	KMPR990SKit____	KMPR1200SKit____	KMPR1800SKit____	KMPR2400SKit____

Other size kits available, **POA**. Standard kits are made from L.O.S.P. and C.C.A. treated pine, and Merbau. Other timbers and sizes are available by special order, POA. Delivery charge on all products POA.

PRODUCT 4 · 1 TO 17 STEPS


Handrail Stair Flight Kits

Flight handrail and balustrade arrive pre-assembled as one panel — just attach the two newel posts. Made to suit the angle of 240 or 290 mm stair kits.



PRE-ASSEMBLED FLIGHT PANEL — PRODUCT 4

EASY TO INSTALL · PRE-DRILLED AND LOCATION HOLES IN ALL COMPONENTS · AVAILABLE IN SPOTTED GUM AND OTHER TIMBERS



FLIGHT KIT — DIMENSIONS IN MM

Balusters 30 × 40 mm · 1000 mm vertical height from tread · posts 88 × 88 mm · 6 mm location holes (8) · tread not included.

CHOOSE LEFT OR RIGHT SIDE


When ordering handrail flights, choose left or right by standing at the **bottom** of the stairs and looking up. For example, to order a right handrail flight kit for a five-step 240 mm stair — in LOSP the code is **KLFlightR5**; in Merbau, **KMFlightR5**. Refer to the table on page 2s for the number of steps.

TIMBER TYPE	STEP WIDTH	LEFT	RIGHT
LOSP Treated Pine	240 mm	KLFlightL____	KLFlightR____
	290 mm	KLPRFlightL____	KLPRFlightR____
Merbau	240 mm	KMFlightL____	KMFlightR____
	290 mm	KMPRFlightL____	KMPRFlightR____

ONE KIT INCLUDES

- DIY instructions
- One pre-assembled handrail balustrade flight panel — left or right
- Two posts, 88 × 88 mm
- Eight screws — galvanised 5 mm hex-drive batten screws, 14g × 100 mm
- Four coach bolts with nuts and washers — galvanised 12 mm × 130 mm

Posts are fastened to the outside of the stringer — an extra allowance of **88 mm** per handrail flight may need to be considered.



STRAIGHT HANDRAIL PANELS & POSTS

Made to your measurements — simply measure between posts. The straight-panel code for this profile is **BS2**; other styles are available.

Standard kits are made from L.O.S.P. treated pine or Merbau. Other timbers and sizes by special order, **POA**. Delivery charge on all products POA.

PRODUCT 5 · 1 TO 17 STEPS

Pre-Assembled Stairs

Sold assembled — the easiest option to install, 240 mm or 290 mm treads. Note that an assembled flight can be difficult to lift and transport.

REFER TO THE HEIGHT TABLE ON PAGE 2S FOR THE NUMBER OF STEPS · AVAILABLE IN SPOTTED GUM AND OTHER TIMBERS



PRE-ASSEMBLED STAIR — PRODUCT 5



REEDED TREADS — STANDARD ON EVERY STAIR

990 mm
STANDARD OVERALL WIDTH


20 mm
ELEVATION ABOVE GROUND

HOW TO ORDER

Complete the order code below by adding the number of steps you require. For example, to order a five-step 240 mm assembled stair — in LOSP the code is **KSL950Ass5**; in Merbau, **KSM950Ass5**.

To work out the number of steps you require, refer to the height table on page 2s.

TIMBER TYPE	STEP WIDTH	ORDER CODE
LOSP Treated Pine	240 mm	KSL950Ass_____
	290 mm	KSLPR950Ass_____
Merbau	240 mm	KSM950Ass_____
	290 mm	KSMPR950Ass_____



SOLD ASSEMBLED — PRODUCT 5

The standard width size is **990 mm overall**, manufactured from L.O.S.P. treated pine and Merbau. Proper installation is for the sides of stairs to be elevated **20 mm** above the ground surface.

Other timbers and sizes are available by special order, **POA**. Delivery charge on all products POA.

PRODUCT 6 · COMMERCIAL OR DOMESTIC USE

The Premium Stair Kit

Manufactured in Australia and BCA compliant, with aluminium non-slip stair nosing included — and a ten-year limited guarantee.



PREMIUM STAIR KIT — ALUMINIUM NOSING IN BLACK


HEIGHT (MM)	TREADS (STEPS)	DIST. FROM WALL (MM)	STRINGER (SIDES)	ANGLE BRACKETS	THREAD RODS	NUTS & WASHERS	FULL KIT PRODUCT CODE
330	1	390	2	2	1	2	KLPRKIT1
495	2	670	2	4	2	4	KLPRKIT2
660	3	950	2	6	2	4	KLPRKIT3
825	4	1230	2	8	2	4	KLPRKIT4
990	5	1510	2	10	3	6	KLPRKIT5
1155	6	1790	2	12	3	6	KLPRKIT6
1320	7	2070	2	14	3	6	KLPRKIT7
1485	8	2350	2	16	3	6	KLPRKIT8
1650	9	2630	2	18	4	8	KLPRKIT9
1815	10	2910	2	20	4	8	KLPRKIT10
1980	11	3190	2	22	4	8	KLPRKIT11
2145	12	3470	2	24	4	8	KLPRKIT12
2310	13	3750	2	26	5	10	KLPRKIT13
2475	14	4030	2	28	5	10	KLPRKIT14
2640	15	4310	2	30	6	12	KLPRKIT15
2805	16	4590	2	32	6	12	KLPRKIT16
2970	17	4870	2	34	6	12	KLPRKIT17

KIT INCLUDES

- Aluminium stair nosing attached with non-slip tape applied in black — tape interchangeable · BCA Level P5
- Galvanised 10 mm booker rod (threaded rod) with flush cap nuts
- Two galvanised angle brackets for each tread, with 12 of 12g × 30 mm hex-head screws per tread
- Two stringers (sides) with housing joint cut in for treads (steps)
- Number of steps as required


Material: LOSP **290 × 45 mm** DAR. External step width **945 mm** walking space; complete external width **1035 mm**.

STANDARD GOING & RISE



GOING 280 · RISE 165 · NOSE 100

PRODUCT CONTENTS



PRODUCT CONTENTS — FULL KIT


A five-step, 280 mm-going stringer stands, per the table, **990 mm** from deck to ground, with a distance out from the wall of **1510 mm**. All other rises can be made by special order.

PRODUCT CODE AL1160


Aluminium Stair Nosing Kit

To comply with the building codes of Australia — BCA P5 3.9.1.3 (g).

3500 MM LENGTHS ALSO AVAILABLE




ALUMINIUM NOSING — NON-SLIP TAPE IN BLACK



NOSING · TAPE · TREAD — TREAD NOT INCLUDED

ONE KIT INCLUDES

- Aluminium nosing, **1160 mm** long — to suit the 1200 mm kit
- One non-slip tape in black or yellow, **48 × 1160 mm** long — choose the colour for your requirement
- Five screws



NOSING PROFILE, 88° — DIMENSIONS IN MM · COUNTERSUNK CHANNEL FOR FIXING SCREW HEADS

BCA 3.9.1.3 (g) — *Treads must have a non-slip finish or a suitable non-skid strip near the edge of the nosing.* We highly recommend the application of a non-slip finish (paint with sand grit), or the placement of a non-skid strip fitted to the top front edge of any dressed-all-round (DAR) smooth-finished material being used as treads. As stated in clause (g) of BCA 3.9.1.3, other applications to DAR treads are not acceptable.

STAIR PRODUCTS — FEATURES & BENEFITS

- Save time and money with a professional finish
- D.I.Y. for the domestic or commercial builder
- All stair products are manufactured at an elevation angle of 34.5°
- Superior flexibility and design — a greater choice from our six-product range covering all stair applications
- Kits include all components and easy step-by-step guides
- Ten-year guarantee on all products

TECHNICAL SUPPORT

1300 547 581

(03) 9720 7266 · Fax (03) 9720 7191

852 Mountain Hwy Bayswater 3153 VIC

sales@karemwoodcraft.com.au

www.karemwoodcraft.com.au

KAREM WOODCRAFT

ARCHITECTURAL & PERIOD TIMBER · AUSTRALIAN MADE



THE GATE RANGE



BOURKE GATE



THE STAIR KIT RANGE · 1 TO 17 STEPS



PRE-ASSEMBLED STAIRS



HANDRAIL FLIGHT KITS



MADE TO SUIT ANY HEIGHT YOU REQUIRE



PERIOD STYLE PRODUCTS

Any rise. Any going. *Any timber.*

AUSTRALIA'S NO. 1 QUALITY STAIR KITS · LOSP TREATED AFTER MANUFACTURE
MADE TO SUIT ANY HEIGHT YOU REQUIRE · A HUGE STANDARD RANGE, AND A CUSTOM
TIMBER PRODUCT MATCHING SERVICE · SHIPPING AUSTRALIA-WIDE · DELIVERY DISCOUNTS MAY APPLY, POA

TMA TIMBER MERCHANTS ASSOCIATION MEMBER *Experts in Timber*

MEMBER · TIMBER MERCHANTS ASSOCIATION
Experts in timber

HIA members best in the business

HIA MEMBERS
Best in the business

FOR TECHNICAL SUPPORT

1300 547 581

(03) 9720 7266 · Fax (03) 9720 7191

852 Mountain Hwy Bayswater 3153 VIC

sales@karemwoodcraft.com.au · www.karemwoodcraft.com.au

OUR WEBSITE

DOWNLOAD BROCHURE

ABN 12 004 325 197 · EST. 1984 · EDITION 17

Please flip the brochure to see our diverse range.